# **Dulux Lifemaster Acrylic Latex Primer/Sealer 59113** by PPG Architectural Finishes

**Health Product** Declaration v2.2

created via: HPDC Online Builder

**HPD UNIQUE IDENTIFIER: 23837** 

CLASSIFICATION: 09 91 23 Interior Painting

PRODUCT DESCRIPTION: This assessment of product 59113 Primer/Sealer White is limited to the base formula not including tint. Dulux Lifemaster is our leading Canadian 'green' building stands product and is free of volatile organic compounds (VOCs) before tinting. Please note, colorants added to base paint may increase the VOC significantly depending on color choice. Dulux Lifemaster Matt, Eggshell, Peal and Semigloss finishes are available in a complete line of tinting bases offering the ability to achieve over 6,000 decorator colours, from the lightest offwhites to the deepest, cleanest shades.

# Section 1: Summary

## **Basic Method / Product Threshold**

## CONTENT INVENTORY

**Inventory Reporting Format** 

C Nested Materials Method

Basic Method

Threshold Disclosed Per

Material

Product

Threshold level

C 100 ppm

⊙ 1,000 ppm

C Per GHS SDS

C Other

Residuals/Impurities

Considered

Partially Considered

Not Considered

Explanation(s) provided for Residuals/Impurities?

Yes ○ No

All Substances Above the Threshold Indicated Are: Characterized

% weight and role provided for all substances.

Screened ○ Yes Ex/SC 
○ Yes 
○ No

All substances screened using Priority Hazard Lists with

results disclosed

Identified ○ Yes Ex/SC ○ Yes ○ No

One or more substances not disclosed by Name (Specific or Generic) and Identifier and/ or one or more

Special Condition did not follow guidance.

#### CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY

GREENSCREEN SCORE | HAZARD TYPE

**DULUX LIFEMASTER ACRYLIC LATEX PRIMER/SEALER 59113** [

WATER BM-4 TITANIUM DIOXIDE LT-1 | CAN | END UNDISCLOSED

LT-UNK KAOLIN CLAY LT-UNK | CAN LIMESTONE; CALCIUM

CARBONATE LT-UNK HEXANOIC ACID, 2-ETHYL-, DIESTER WITH

TETRAETHYLENE GLYCOL (HEXANOIC ACID, 2-ETHYL-, DIESTER

WITH TETRAETHYLENE GLYCOL) LT-UNK POLYETHYLENE GLYCOL

(POLYETHYLENE GLYCOL) LT-UNK UNDISCLOSED LT-1 | CAN | MUL

**ENGLISH FULLERS EARTH NoGS** 

CETYLHYDROXYETHYLCELLULOSE LT-UNK SILICON DIOXIDE BM-1

CAN ANATASE (TIO2) LT-1 | CAN ALUMINUM HYDROXIDE, DRIED

BM-2 FERRIC OXIDE BM-1 | CAN ]

Number of Greenscreen BM-4/BM3 contents ... 1

Contents highest concern GreenScreen

Benchmark or List translator Score ... BM-1

Nanomaterial ... No

## **INVENTORY AND SCREENING NOTES:**

Substances representing 99.5% of the product weight meet the 1000 ppm Threshold and are Screened.

## **VOLATILE ORGANIC COMPOUND (VOC) CONTENT**

Material (g/l): 0 g/L Regulatory (g/l): 0 g/L Does the product contain exempt VOCs: No Are ultra-low VOC tints available: Yes

**CERTIFICATIONS AND COMPLIANCE** See Section 3 for additional listings.

VOC emissions: GreenGuard - Indoor Air Quality Certified

VOC emissions: GreenGuard - Gold (previously Children & Schools)

VOC content: SCAQMD Rule 1113 Architectural Coatings

## **CONSISTENCY WITH OTHER PROGRAMS**

Pre-checked for LEED v4 Material Ingredients Option 1

Third Party Verified?

C Yes No

VERIFIER:

SCREENING DATE: 2021-02-22 PREPARER: Self-Prepared **PUBLISHED DATE: 2021-02-22** EXPIRY DATE: 2024-02-22 **VERIFICATION #:** 

# Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

SUBSTANCE NOTES: Range listed represents standard manufacturing variability.

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.2, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-2-standard

#### **DULUX LIFEMASTER ACRYLIC LATEX PRIMER/SEALER 59113**

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: PPG's Product Stewardship and Hazard Communication program requires disclosure by its raw material suppliers of all components, both intentional and residual, considered to be hazardous. PPG relies on the measurements of its raw material suppliers and the details of their disclosure in our extensive raw material introduction process. Always refer to the Product Label, Technical Data Sheet (TDS) and Safety Data Sheet (SDS) for all safety and detailed application instructions.

OTHER PRODUCT NOTES: NA

**TITANIUM DIOXIDE** 

WATER

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

Screening Date: 2021-02-22

%: 50.0000 - 60.0000

GS: BM-4

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

No warnings found on HPD Priority Hazard Lists

HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZA	ARD SCF	REENING DATE:	2021-02-22	
%: 10.0000 - 15.0000	GS: <b>LT-1</b>	RC: N	None	NANO: No	SUBSTANCE ROLE: Pigment	
HAZARD TYPE	AGENCY AND LIST TITLES		WARNI	NGS		
CAN	EU - GHS (H-Statements)		H351 -	Suspected of ca	ausing cancer	
CAN	US CDC - Occupational Carcinogens		Occupa	ational Carcinog	en	
CAN	CA EPA - Prop 65		Carcinogen - specific to route		o chemical form or exposure	
CAN	IARC	Group 2B - Possibly carcinogenic to human from occupational sources			· ·	
CAN	MAK	Carcinogen Group 3A - Evidence of carci but not sufficient to establish MAK/BAT v			· ·	
END	TEDX - Potential Endocrine Disruptors		Potenti	al Endocrine Dis	sruptor	
CAN	MAK			ogen Group 4 - N k under MAK/BA	Non-genotoxic carcinogen with	

ID: 13463-67-7

SUBSTANCE NOTES: Range listed represents standard manufacturing variability. Titanium dioxide (TiO2) has been classified as a GHS carcinogen category 2 based on its IARC 2B classification. In this case, the TiO2 particles are bound in a matrix with no meaningful potential for human exposure to unbound particles of TiO2 when the product is applied by a brush or roller. Range listed represents standard manufacturing variability.

UNDISCLOSED ID: Undisclosed

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-02-22

%: 10.0000 - 15.0000 GS: LT-UNK RC: None NANO: No SUBSTANCE ROLE: Binder

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Range listed represents standard manufacturing variability. The identification of this chemical substance is not being disclosed because the raw material supplier was unable or unwilling to disclose it. For the purpose of this screening, PPG relied on extensive internal, external, and raw material supplier resources to assign CAS numbers that represent the chemical family and associated hazards.

KAOLIN CLAY ID: 1332-58-7

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-02-22

%: 9.0000 - 12.0000 GS: LT-UNK RC: None NANO: No SUBSTANCE ROLE: Filler

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

CAN MAK Carcinogen Group 3B - Evidence of carcinogenic effects

but not sufficient for classification

SUBSTANCE NOTES: Range listed represents standard manufacturing variability.

LIMESTONE; CALCIUM CARBONATE

ID: 1317-65-3

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-02-22

%: 5.0000 - 7.0000 GS: LT-UNK RC: None NANO: No SUBSTANCE ROLE: Filler

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Range listed represents standard manufacturing variability.

HEXANOIC ACID, 2-ETHYL-, DIESTER WITH TETRAETHYLENE GLYCOL (HEXANOIC ACID, 2-ETHYL-, DIESTER WITH TETRAETHYLENE GLYCOL)

ID: 18268-70-7

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-02-22

%: 0.1000 - 1.0000 GS: LT-UNK RC: None NANO: No SUBSTANCE ROLE: Coalescent

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Range listed represents standard manufacturing variability.

**UNDISCLOSED** 

SUBSTANCE NOTES: Range listed represents standard manufacturing variability.

**ID: Undisclosed** 

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2021-02-22				
%: 0.1000 - 1.0000	GS: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Viscosity modifier			
HAZARD TYPE	AGENCY AND LIST TITLES	WAF	RNINGS				
None found			No warn	ings found on HPD Priority Hazard Lists			

HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCREENING DATE: 2021-02-22				
%: 0.1000 - 1.0000	GS: <b>LT-1</b>	RC: N	None	NANO: No	SUBSTANCE ROLE: Defoamer	
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS			
CAN	EU - GHS (H-Statements)	H350 - May cause cancer			ncer	
CAN	EU - REACH Annex XVII CMRs	Carcinogen Category 2 - Substances which sh regarded as if they are Carcinogenic to man				
CAN	EU - Annex VI CMRs	Carcinogen Category 1B - Presumed Carcinoge on animal evidence			1B - Presumed Carcinogen based	
MUL	ChemSec - SIN List	CMR - Carcinogen, Mutagen &/or Reproduc			utagen &/or Reproductive Toxicant	
CAN	GHS - Australia	H350 - May cause cancer			ncer	

SUBSTANCE NOTES: Range listed represents standard manufacturing variability. The identification of this chemical substance is not being disclosed because the raw material supplier was unable or unwilling to disclose it. For the purpose of this screening, PPG relied on extensive internal, external, and raw material supplier resources to assign CAS numbers that represent the chemical family and associated hazards.

ENGLISH FULLERS EARTH ID: 8031-18-3

HAZARD SCREENING METHOD:	HAZARD SCREENING DATE: 2021-02-22			
%: 0.1000 - 1.0000	GS: NoGS	RC: None	NANO: No	SUBSTANCE ROLE: Filler
HAZARD TYPE	AGENCY AND LIST TITLES	WARNI	NGS	
None found			No warnings fo	ound on HPD Priority Hazard Lists

SUBSTANCE NOTES: Range listed presents standard manufacturing variability.

# CETYLHYDROXYETHYLCELLULOSE

ID: 80455-45-4

HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	ry HAZARD SCREENING DATE: 2021-02-22				
%: 0.1000 - 1.0000	GS: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Viscosity modifier		
HAZARD TYPE	AGENCY AND LIST TITLES	WAF	RNINGS			
None found			No warn	ings found on HPD Priority Hazard Lists		

SUBSTANCE NOTES: Range listed represents standard manufacturing variability.

SILICON DIOXIDE ID: 7631-86-9

HAZARD SCREENING METH	ry HAZARD S	HAZARD SCREENING DATE: 2021-02-22				
%: 0.1000 - 1.0000	GS: <b>BM-1</b>	RC: None	NANO: No	SUBSTANCE ROLE: Matting agent		
HAZARD TYPE	AGENCY AND LIST TITLES	WAR	NINGS			
CAN	GHS - Australia	H350	cancer by inhalation			
CAN GHS - Japan Carcinogenicity - Category 1A [H350]						
SUBSTANCE NOTES: Range listed represents standard manufacturing variability.						

ANATASE (TIO2) ID: 1317-70-0

HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCREENING DATE:			2021-02-22
%: 0.1000 - 1.0000	GS: LT-1	RC: I	None	NANO: No	SUBSTANCE ROLE: Pigment
HAZARD TYPE	AGENCY AND LIST TITLES		WARNI	NGS	
CAN	US CDC - Occupational Carcinogens	Occupational Carcinoge			en
CAN	CA EPA - Prop 65	Carcinogen - specific to chemical form or ex route			o chemical form or exposure
CAN	IARC	Group 2B - Possibly carcinogenic to humans - inh from occupational sources			•
CAN	MAK	Carcinogen Group 3A - Evidence of carcin but not sufficient to establish MAK/BAT va			ū

SUBSTANCE NOTES: Range listed represents standard manufacturing variability. Titanium dioxide (TiO2) has been classified as a GHS carcinogen category 2 based on its IARC 2B classification. In this case, the TiO2 particles are bound in a matrix with no meaningful potential for human exposure to unbound particles of TiO2 when the product is applied by a brush or roller. Range listed represents standard manufacturing variability.

	ALUMINUM HYDROXIDE, DRIED ID: 2	21645-51-2
--	---------------------------------	------------

HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCR	2021-02-22		
%: 0.1000 - 1.0000	GS: <b>BM-2</b>	RC: None NANO: No		SUBSTANCE ROLE: Filler	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
None found		No warnings found on HPD Priority Haz			

SUBSTANCE NOTES: Range listed represents standard manufacturing variability.

FERRIC OXIDE ID: 1309-37-1

CAN	MAK		ogen Group 3B - sufficient for cla	Evidence of carcinogenic effects assification	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
%: 0.1000 - 1.0000	GS: <b>BM-1</b>	RC: None	NANO: No	SUBSTANCE ROLE: Pigment	
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCREENING DATE:		2021-02-22	

SUBSTANCE NOTES: Range listed represents standard manufacturing variability.

# Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

13

13

## **VOC EMISSIONS**

## GreenGuard - Indoor Air Quality Certified

**CERTIFYING PARTY: Third Party** APPLICABLE FACILITIES: All

ISSUE DATE: 2020-01- EXPIRY DATE: 2022-

02-07

CERTIFIER OR LAB: UL

Laboratories

Laboratories

CERTIFICATE URL: https://spot.ul.com/main-

app/products/detail/5e1c941155b0e844183d7752?

page\_type=Products%20Catalog

CERTIFICATION AND COMPLIANCE NOTES: No additional notes.

#### VOC EMISSIONS

## GreenGuard - Gold (previously Children & Schools)

02-07

CERTIFYING PARTY: Third Party

ISSUE DATE: 2020-01- EXPIRY DATE: 2022-

CERTIFIER OR LAB: UL

APPLICABLE FACILITIES: All

CERTIFICATE URL: https://spot.ul.com/mainapp/products/detail/5e1c941155b0e844183d7752?

page\_type=Products%20Catalog

CERTIFICATION AND COMPLIANCE NOTES: No additional notes.

#### **VOC CONTENT**

#### **SCAQMD Rule 1113 Architectural Coatings**

CERTIFYING PARTY: Self-declared APPLICABLE FACILITIES: All

ISSUE DATE: 2018-05- EXPIRY DATE:

CERTIFIER OR LAB: none

**CERTIFICATE URL:** 

CERTIFICATION AND COMPLIANCE NOTES: VOC content is a calculated value based on EPA Method 24.



## Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

## **NEXT GENERATION COLORANT SYSTEM**

HPD URL: no HPD available

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

PPG Next Generation Colorant System is a low VOC line of colorants composed of 12 tints which can be combined to create over 6000 colors. When added to Lifemaster base paints at maximum tint load for any color, the Next Generation tints contribute less than 8 g/L of VOC to the final tinted product.

## Section 5: General Notes

Please note PPG has a strong Product Stewardship and Hazard Communication program. While some raw material suppliers may choose to keep chemical substances proprietary, PPG requires them to fully disclose hazards . All PPG products, in turn, reflect those hazards. In instances where CAS numbers are not available, PPG relies on extensive internal, external, and raw material supplier resources to assign representative CAS numbers for this screening that represent the chemical family and associated hazards.

## MANUFACTURER INFORMATION

MANUFACTURER: PPG Architectural Finishes

ADDRESS: One PPG Place Pittsburgh PA 15272, USA

WEBSITE: https://www.dulux.ca/diy/products/interior-paint/dulux-

lifemaster

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

**KEY** 

**Hazard Types** 

**AQU** Aquatic toxicity

**CAN** Cancer

DEV Developmental toxicity
END Endocrine activity
EYE Eye irritation/corrosivity

**GEN** Gene mutation

**GLO** Global warming

LAN Land toxicity

MAM Mammalian/systemic/organ toxicity

MUL Multiple
NEU Neurotoxicity

NF Not found on Priority Hazard Lists

**OZO** Ozone depletion

PBT Persistent, bioaccumulative, and toxic

PHY Physical hazard (flammable or reactive)

**REP** Reproductive

**CONTACT NAME: Architectural Coatings Technical Advise Center** 

**RES** Respiratory sensitization

SKI Skin sensitization/irritation/corrosivity

**UNK** Unknown

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

BM-2 Benchmark 2 (use but search for safer substitutes)

BM-1 Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspecified (due to insufficient data)

LT-P1 List Translator Possible 1 (Possible Benchmark-1)

LT-1 List Translator 1 (Likely Benchmark-1)

LT-UNK List Translator Benchmark Unknown (the chemical is present on at least one GreenScreen Specified List, but the information contained within the list did not result in a clear mapping

to a LT-1 or LTP1 score.) **NoGS** No GreenScreen.

**TITLE: Technical Advisor** 

PHONE: 1-800-441-9695

EMAIL: techservicerequests@ppg.com

**Recycled Types** 

PreC Pre-consumer recycled content

PostC Post-consumer recycled content

**UNK** Inclusion of recycled content is unknown

None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product

Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.