Dulux Lifemaster Acrylic Latex 59286 by PPG Architectural Finishes

HPD UNIQUE IDENTIFIER: 22651

CLASSIFICATION: 09 91 23 Interior Painting

PRODUCT DESCRIPTION: This assessment of product 59286 Semi-Gloss Ultra Deep Base is limited to the base formulas not including tint. Dulux® Lifemaster is our leading Canadian 'green' building standards product and is free of volatile organic compounds (VOCs) before tinting. Please note, colorants added to base paints may increase the VOC significantly depending on color choice. Dulux Lifemaster Matt, Eggshell, Pearl and Semigloss finishes are available in a complete line of tinting bases offering the ability to achieve over 6,000 decorator colours, from the lightest offwhites to the deepest, cleanest shades.

Section 1: Summary

CONTENT INVENTORY

- **Inventory Reporting Format**
- C Nested Materials Method Basic Method
- Threshold Disclosed Per
- O Material
- O Product

- Threshold level C 100 ppm ⊙ 1,000 ppm C Per GHS SDS O Other
- Explanation(s) provided for Residuals/Impurities? ⊙ Yes ○ No

C Not Considered

Residuals/Impurities

C Partially Considered

Considered

Basic Method / Product Threshold

All Substances Above the Threshold Indicated Are:

Characterized ○ Yes Ex/SC ⊙ Yes ○ No % weight and role provided for all substances.

○ Yes Ex/SC ⊙ Yes ○ No Screened All substances screened using Priority Hazard Lists with results disclosed.

Identified ○ Yes Ex/SC ○ Yes ⊙ No One or more substances not disclosed by Name (Specific or Generic) and Identifier and/ or one or more Special Condition did not follow guidance.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY **GREENSCREEN SCORE** | HAZARD TYPE

DULUX LIFEMASTER ACRYLIC LATEX 59286 [WATER BM-4 UNDISCLOSED LT-UNK KAOLIN LT-UNK | CAN HEXANOIC ACID, 2-ETHYL-, DIESTER WITH TETRAETHYLENE GLYCOL (HEXANOIC ACID, 2-ETHYL-, DIESTER WITH TETRAETHYLENE GLYCOL) LT-UNK UNDISCLOSED LT-1 | CAN | MUL UNDISCLOSED LT-UNK PEG-10 **PROPYLHEPTYL ETHER LT-UNK** CETYLHYDROXYETHYLCELLULOSE LT-UNK LIMESTONE LT-UNK AMMONIUM HYDROXIDE LT-P1 | RES | AQU | SKI | MUL ANATASE (TIO2) LT-1 | CAN]

Number of Greenscreen BM-4/BM3 contents ... 1

Contents highest concern GreenScreen Benchmark or List translator Score ... LT-1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

Substances representing 99.5% of the product weight meet the 1000 pm Threshold and are Screened.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

Material (g/l): 0 g/L Regulatory (g/l): 0 g/L Does the product contain exempt VOCs: No Are ultra-low VOC tints available: Yes

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listinas.

VOC emissions: GreenGuard - Indoor Air Quality Certified VOC emissions: GreenGuard - Gold (previously Children & Schools) VOC content: SCAQMD Rule 1113 Architectural Coatings

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients Option 1

Third Party Verified?

O Yes

PREPARER: Self-Prepared VERIFIER: **VERIFICATION #:**

SCREENING DATE: 2020-10-25 PUBLISHED DATE: 2020-10-25 EXPIRY DATE: 2023-10-25

Health Product Declaration v2.2

created via: HPDC Online Builder

No

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.2, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-2-standard

DULUX LIFEMASTER ACRYLIC LATEX 59286 PRODUCT THRESHOLD: 1000 ppm **RESIDUALS AND IMPURITIES CONSIDERED: Yes** RESIDUALS AND IMPURITIES NOTES: Residuals and Impurities Notes: PPG's Product Stewardship and Hazard Communication program requires disclosure by its raw material suppliers of all components, both intentional and residual, considered to be hazardous. PPG relies on the measurements of its raw material suppliers and the details of their disclosure in our extensive raw material introduction process. Always refer to the Product Label, Technical Data Sheet (TDS) and Safety Data Sheet (SDS) for all safety and detailed application instructions. OTHER PRODUCT NOTES: Two products are covered by this HPD. They are both acrylic latex waterborne interior paints which function similarly. All information provided in Section 3: Certificates and Compliance applies to each product. The content differences between the products accounts for 10% or less of the total mass of each product. WATER ID: 7732-18-5 HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2020-10-25 RC: None %: 60.0000 - 70.0000 GS: BM-4 NANO: No SUBSTANCE ROLE: Solvent HAZARD TYPE AGENCY AND LIST TITLES WARNINGS None found No warnings found on HPD Priority Hazard Lists SUBSTANCE NOTES: Range listed represents standard manufacturing variability. UNDISCLOSED HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2020-10-25 %: 20.0000 - 25.0000 GS: LT-UNK SUBSTANCE ROLE: Binder RC: None NANO: No HAZARD TYPE AGENCY AND LIST TITLES WARNINGS None found No warnings found on HPD Priority Hazard Lists SUBSTANCE NOTES: Range listed represents standard manufacturing variability. The identification of this chemical substance is not being disclosed because the raw material supplier was unable or unwilling to disclose it. For the purpose of this screening, PPG relied on extensive internal, external, and raw material supplier resources to assign CAS numbers that represent the chemical family and associated hazards. KAOLIN ID: 1332-58-7 HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2020-10-25 SUBSTANCE ROLE: Filler %: 2.0000 - 4.0000 GS: LT-UNK RC: None NANO: No HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

 CANCER
 MAK
 Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification

 Dulux Lifemaster Acrylic Latex 59286
 Evidence of carcinogenic effects

SUBSTANCE NOTES: Range listed represents the variation standard manufacturing variability.

HEXANOIC ACID, 2-ETHYL-, DIESTER WITH TETRAETHYLENE GLYCOL ID: 18268-70-7 (HEXANOIC ACID, 2-ETHYL-, DIESTER WITH TETRAETHYLENE **GLYCOL**) HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2020-10-25 %: 1.0000 - 2.0000 GS: LT-UNK RC: None NANO: No SUBSTANCE ROLE: Coalescent HAZARD TYPE AGENCY AND LIST TITLES WARNINGS None found No warnings found on HPD Priority Hazard Lists SUBSTANCE NOTES: Range listed represents standard manufacturing variability. UNDISCLOSED HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2020-10-25

HAZARD TYPEAGENCY AND LIST TITLESWARNINGSCANCEREU - GHS (H-Statements)H350 - May cause cancerCANCEREU - REACH Annex XVII CMRsCarcinogen Category 2 - Substances which s regarded as if they are Carcinogenic to manMULTIPLEChemSec - SIN ListCMR - Carcinogen, Mutagen &/or Reproduct	······				
CANCEREU - GHS (H-Statements)H350 - May cause cancerCANCEREU - REACH Annex XVII CMRsCarcinogen Category 2 - Substances which a regarded as if they are Carcinogenic to manMULTIPLEChemSec - SIN ListCMR - Carcinogen, Mutagen &/or ReproductCANCEREU - Annex VI CMRsCarcinogen Category 1B - Presumed Carcino on animal evidence	%: 0.1000 - 1.0000	GS: LT-1	RC: None	NANO: No	SUBSTANCE ROLE: Solvent
CANCER EU - REACH Annex XVII CMRs Carcinogen Category 2 - Substances which s regarded as if they are Carcinogenic to man MULTIPLE ChemSec - SIN List CMR - Carcinogen, Mutagen &/or Reproduct CANCER EU - Annex VI CMRs Carcinogen Category 1B - Presumed Carcinogen on animal evidence	HAZARD TYPE	AGENCY AND LIST TITLES	WARM	NINGS	
MULTIPLE ChemSec - SIN List CMR - Carcinogen, Mutagen &/or Reproduct CANCER EU - Annex VI CMRs Carcinogen Category 1B - Presumed Carcinogen on animal evidence	CANCER	EU - GHS (H-Statements)	H350 - May cause cancer		ncer
CANCER EU - Annex VI CMRs Carcinogen Category 1B - Presumed Carcino on animal evidence	CANCER	EU - REACH Annex XVII CMRs	Carcinogen Category 2 - Substances which should b regarded as if they are Carcinogenic to man		
on animal evidence	MULTIPLE	ChemSec - SIN List	CMR - Carcinogen, Mutagen &/or Reproductive Toxic		utagen &/or Reproductive Toxicant
CANCER GHS - Australia H350 - May cause cancer	CANCER	EU - Annex VI CMRs	Carcinogen Category 1B - Presumed Carcinogen bas on animal evidence		1B - Presumed Carcinogen based
	CANCER	GHS - Australia		- May cause car	ncer

SUBSTANCE NOTES: Range listed represents the standard manufacturing variability. Identification of this substance is not being disclosed due to raw material supplier holding chemical substance as proprietary. For the purpose of this screening, PPG relies on extensive internal, external, and raw material supplier resources to assign CAS numbers that represent the chemical family and associated hazards.

UNDISCLOSED

HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCREENING DATE: 2020-10-25		
%: 0.1000 - 1.0000	GS: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Surfactant
HAZARD TYPE	AGENCY AND LIST TITLES	WARN	IINGS	
None found			No warnings	found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Range listed represents the standard manufacturing variability. Identification of this substance is not being disclosed due to raw material supplier holding chemical substance as proprietary. For the purpose of this screening, PPG relies on extensive internal, external, and raw material supplier resources to assign CAS numbers that represent the chemical family and associated hazards.

PEG-10 PROPYLHEPTYL ETHER	l			ID: 160875-66-1
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCI	REENING DATE	: 2020-10-25
%: 0.1000 - 1.0000	GS: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Surfactant

	AGENCY AND LIST TITLES	WARNING	S		
None found		Ne	o warnings fo	ound on HPD Pri	ority Hazard Lists
SUBSTANCE NOTES: Range li	sted represents standard manufacturing var	iability.			
CETYLHYDROXYETHYLCELLU	LOSE				ID: 80455-45- 4
HAZARD SCREENING METHOD	Pharos Chemical and Materials Library	HAZARD SCREE	NING DATE:	2020-10-25	
%: 0.1000 - 1.0000	GS: LT-UNK	RC: None NAN	O: No SUB	STANCE ROLE:	Viscosity modifie
HAZARD TYPE	AGENCY AND LIST TITLES	WARNING	S		
None found		N	o warnings fo	ound on HPD Pri	ority Hazard Lists
SUBSTANCE NOTES: Range li	sted represents standard manufacturing var	iability.			
LIMESTONE					ID: 1317-65-
HAZARD SCREENING METHOD	Pharos Chemical and Materials Library	HAZARD SCREE	NING DATE:	2020-10-25	
%: 0.1000 - 1.0000	GS: LT-UNK	RC: None N	IANO: No	SUBSTANCE	ROLE: Filler
	ACENCY AND LIST TITLES		0		
HAZARD TYPE	AGENCY AND LIST TITLES	WARNING	5		
None found	sted represents the variation standard manu	Ne	o warnings fo	ound on HPD Pri	ority Hazard Lists
None found		Ne	o warnings fo	ound on HPD Pri	-
None found SUBSTANCE NOTES: Range li AMMONIUM HYDROXIDE		Nu	o warnings fo		-
None found SUBSTANCE NOTES: Range li AMMONIUM HYDROXIDE	sted represents the variation standard manu	No ufacturing variabilit HAZARD SCREE	o warnings fo		ID: 1336-21-
None found SUBSTANCE NOTES: Range li AMMONIUM HYDROXIDE HAZARD SCREENING METHOD	sted represents the variation standard manu Pharos Chemical and Materials Library	No ufacturing variabilit HAZARD SCREE	o warnings fo y. NING DATE: IANO: No	2020-10-25	ID: 1336-21-
None found SUBSTANCE NOTES: Range li AMMONIUM HYDROXIDE HAZARD SCREENING METHOD %: 0.1000 - 1.0000	sted represents the variation standard manu Pharos Chemical and Materials Library GS: LT-P1	No ufacturing variabilit HAZARD SCREE RC: None N WARNING	o warnings fo y. NING DATE: IANO: No S	2020-10-25	ID: 1336-21-
None found SUBSTANCE NOTES: Range li AMMONIUM HYDROXIDE HAZARD SCREENING METHOD %: 0.1000 - 1.0000 HAZARD TYPE	sted represents the variation standard manu Pharos Chemical and Materials Library GS: LT-P1 AGENCY AND LIST TITLES	Na ufacturing variabilit HAZARD SCREE RC: None N WARNING Asthmager	o warnings fo ry. NING DATE: IANO: No S n (Rs) - sensi	2020-10-25 SUBSTANCE	
None found SUBSTANCE NOTES: Range li AMMONIUM HYDROXIDE HAZARD SCREENING METHOD %: 0.1000 - 1.0000 HAZARD TYPE RESPIRATORY	sted represents the variation standard manu Pharos Chemical and Materials Library GS: LT-P1 AGENCY AND LIST TITLES AOEC - Asthmagens	HAZARD SCREE RC: None N WARNING Asthmager induced	o warnings fo ry. NING DATE: IANO: No S n (Rs) - sensi	2020-10-25 SUBSTANCE tizer-induced ritant-induced &	ID: 1336-21- ROLE: Buffer
None found SUBSTANCE NOTES: Range li AMMONIUM HYDROXIDE HAZARD SCREENING METHOD %: 0.1000 - 1.0000 HAZARD TYPE RESPIRATORY RESPIRATORY	E Pharos Chemical and Materials Library GS: LT-P1 AGENCY AND LIST TITLES AOEC - Asthmagens AOEC - Asthmagens	Na ufacturing variabilit HAZARD SCREE RC: None N WARNING Asthmager induced H400 - Ver	o warnings fo ry. NING DATE: IANO: No S n (Rs) - sensi n (Rr&Rs) - in y toxic to aqu	2020-10-25 SUBSTANCE tizer-induced ritant-induced &	ID: 1336-21- ROLE: Buffer sensitizer-
None found SUBSTANCE NOTES: Range li AMMONIUM HYDROXIDE HAZARD SCREENING METHOD %: 0.1000 - 1.0000 HAZARD TYPE RESPIRATORY RESPIRATORY ACUTE AQUATIC	sted represents the variation standard manu Pharos Chemical and Materials Library GS: LT-P1 AGENCY AND LIST TITLES AOEC - Asthmagens AOEC - Asthmagens EU - GHS (H-Statements)	HAZARD SCREE RC: None N WARNING Asthmager induced H400 - Ver H314 - Cau	o warnings fo ry. NING DATE: IANO: No S n (Rs) - sensi n (Rr&Rs) - in y toxic to aqu	2020-10-25 SUBSTANCE itizer-induced ritant-induced & uatic life skin burns and e	ID: 1336-21- ROLE: Buffer sensitizer-
None found SUBSTANCE NOTES: Range li AMMONIUM HYDROXIDE HAZARD SCREENING METHOD %: 0.1000 - 1.0000 HAZARD TYPE RESPIRATORY RESPIRATORY ACUTE AQUATIC SKIN IRRITATION MULTIPLE	sted represents the variation standard manu Pharos Chemical and Materials Library GS: LT-P1 AGENCY AND LIST TITLES AOEC - Asthmagens AOEC - Asthmagens EU - GHS (H-Statements) EU - GHS (H-Statements) German FEA - Substances Hazardous t	HAZARD SCREE RC: None N WARNING Asthmager induced H400 - Ver H314 - Cau to Class 2 - H	o warnings fo ry. NING DATE: IANO: No S n (Rs) - sensi n (Rr&Rs) - in y toxic to aqu uses severe s łazard to War	2020-10-25 SUBSTANCE itizer-induced ritant-induced & uatic life skin burns and e	ID: 1336-21- ROLE: Buffer sensitizer-
None found SUBSTANCE NOTES: Range li AMMONIUM HYDROXIDE HAZARD SCREENING METHOD %: 0.1000 - 1.0000 HAZARD TYPE RESPIRATORY RESPIRATORY ACUTE AQUATIC SKIN IRRITATION MULTIPLE	sted represents the variation standard manu GS: LT-P1 AGENCY AND LIST TITLES AOEC - Asthmagens AOEC - Asthmagens EU - GHS (H-Statements) EU - GHS (H-Statements) German FEA - Substances Hazardous t Waters	HAZARD SCREE RC: None N WARNING Asthmager induced H400 - Ver H314 - Cau to Class 2 - H	o warnings fo ry. NING DATE: IANO: No S n (Rs) - sensi n (Rr&Rs) - in y toxic to aqu uses severe s łazard to War	2020-10-25 SUBSTANCE itizer-induced ritant-induced & uatic life skin burns and e	ID: 1336-21- ROLE: Buffer sensitizer-
None found SUBSTANCE NOTES: Range li AMMONIUM HYDROXIDE HAZARD SCREENING METHOD %: 0.1000 - 1.0000 HAZARD TYPE RESPIRATORY RESPIRATORY ACUTE AQUATIC SKIN IRRITATION MULTIPLE SUBSTANCE NOTES: Range li	sted represents the variation standard manu GS: LT-P1 AGENCY AND LIST TITLES AOEC - Asthmagens AOEC - Asthmagens EU - GHS (H-Statements) EU - GHS (H-Statements) German FEA - Substances Hazardous t Waters	HAZARD SCREE RC: None N WARNING Asthmager Asthmager induced H400 - Ver H314 - Cau to Class 2 - H	o warnings fo y. NING DATE: IANO: No S n (Rs) - sensi n (Rr&Rs) - irr y toxic to aqu uses severe s lazard to War y.	2020-10-25 SUBSTANCE itizer-induced ritant-induced & uatic life skin burns and e ters	ID: 1336-21- ROLE: Buffer sensitizer- ye damage

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CANCER	US CDC - Occupational Carcinogens	Occupational Carcinogen
CANCER	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route
CANCER	IARC	Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources
CANCER	МАК	Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value

SUBSTANCE NOTES: Range listed represents standard manufacturing variability. Titanium dioxide (TiO2) has been classified as a GHS carcinogen category 2 based on its IARC 2B classification. In this case, the TiO2 particles are bound in a matrix with no meaningful potential for human exposure to unbound particles of TiO2 when the product is applied by a brush or roller. Range listed represents the variation between the 2 products covered under this HPD and as well as standard manufacturing variability.

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

DC EMISSIONS GreenGuard - Indoor Air Quality Certified					
CERTIFYING PARTY: Third Party APPLICABLE FACILITIES: All CERTIFICATE URL: https://spot.ul.com/main- app/products/detail/5e1c942455b0e844183d7792? page_type=Products%20Catalog	ISSUE DATE: 2020-01- 13	EXPIRY DATE: 2021- 02-07	CERTIFIER OR LAB: UL Laboratories		
CERTIFICATION AND COMPLIANCE NOTES: No additional	notes.				
VOC EMISSIONS	GreenGuard - Gold (previously Children & Schools)				
CERTIFYING PARTY: Third Party APPLICABLE FACILITIES: All CERTIFICATE URL: https://spot.ul.com/main- app/products/detail/5e1c942455b0e844183d7792? page_type=Products%20Catalog CERTIFICATION AND COMPLIANCE NOTES: No additional	ISSUE DATE: 2020-01- 13	EXPIRY DATE: 2021- 02-07	CERTIFIER OR LAB: UL Laboratories		
CENTRICATION AND COMPLEXIVE NOTES. No additional	notes.				
VOC CONTENT	SCAQMD Rule 1113 Architectural Coatings				
CERTIFYING PARTY: Self-declared APPLICABLE FACILITIES: All CERTIFICATE URL:	ISSUE DATE: 2018-12- 21	EXPIRY DATE:	CERTIFIER OR LAB: none		
CERTIFICATION AND COMPLIANCE NOTES: VOC content is a calculated value based on EPA Method 24.					

😑 Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

PPG NEXT GENERATION COLORANT SYSTEM

HPD URL: no HPD available

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: PPG Next Generation Colorant System is a low VOC line of colorants composed of 12 tints which can be combined to create over 6000 colors. When added to Lifemaster base paints at maximum tint load for any color, the Next Generation tints contribute less than 8 g/L of VOC to the final tinted product.

Section 5: General Notes

Please note PPG has a strong Product Stewardship and Hazard Communication program. While raw material suppliers may choose to keep chemical substances proprietary, PPG requires them to fully disclose hazards. All PPG products, in turn, reflect those hazards. In instances where CAS numbers are not available, PPG relies on extensive internal, external, and raw material supplier resources to assign representative CAS numbers for this screening that represent the chemical family and associated hazards.

MANUFACTURER INFORMATION

MANUFACTURER: PPG Architectural Finishes ADDRESS: One PPG Place Pittsburgh PA 15272, USA WEBSITE: www.dulux.ca/diy/products/interior-paint/duluxlifemaster

CONTACT NAME: Architectural Coatings Technical Advise Center TITLE: Technical Advisor PHONE: 1-800-441-9695 EMAIL: techservicerequests@ppg.com

LT-1 List Translator 1 (Likely Benchmark-1)

to a LT-1 or LTP1 score.)

NoGS No GreenScreen.

LT-UNK List Translator Benchmark Unknown (the chemical is present on at least one GreenScreen Specified List, but the

information contained within the list did not result in a clear mapping

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity CAN Cancer DEV Developmental toxicity END Endocrine activity EYE Eye irritation/corrosivity GEN Gene mutation GLO Global warming

LAN Land toxicity MAM Mammalian/systemic/organ toxicity MUL Multiple NEU Neurotoxicity NF Not found on Priority Hazard Lists OZO Ozone depletion PBT Persistent, bioaccumulative, and toxic PHY Physical hazard (flammable or reactive) REP Reproductive RES Respiratory sensitization SKI Skin sensitization/irritation/corrosivity UNK Unknown

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)
BM-3 Benchmark 3 (use but still opportunity for improvement)
BM-2 Benchmark 2 (use but search for safer substitutes)
BM-1 Benchmark 1 (avoid - chemical of high concern)
BM-U Benchmark Unspecified (due to insufficient data)
LT-P1 List Translator Possible 1 (Possible Benchmark-1)

Recycled Types

PreC Pre-consumer recycled content PostC Post-consumer recycled content UNK Inclusion of recycled content is unknown None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology Third Party Verified Verification by independent certifier approved by HPDC Preparer Third party preparer, if not self-prepared by manufacturer Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.

Dulux Lifemaster Acrylic Latex 59286 hpdrepository.hpd-collaborative.org